Docket: MA9604P

IN THE UNITNTED STATES PATENT AND TRADEMARK OFFICE

First Christopher J. Calhoun

Inventor:

Serial No.: 10/631,980 Examiner: Betton, Timothy E.

Filed: July 31, 2003 Group Art 1617

Unit:

For: RESORBABLE THIN MEMBRANES

REQUEST FOR EXAMINER INTERVIEW

Mail Stop Amendment Commissioner for Patents Washington, DC 20231

Dear Sir/madam:

With this letter Applicants request an Examiner Interview for the above-referenced patent application, by telephone, on Thursday, March 13, 2008 at 3:00 PM EST, with the Examiner of Record.

Applicants wish to discuss entry of the following hypothetical (unofficial) Amendment to the paragraph bridging pages 5 and 6 of the Specification, so that the paragraph reads as set forth in the following annotated paragraph:

First Inventor: Christopher J. Calhoun U.S. Application No. 10/631,980

Page 2 of 3

In a presently preferred embodiment of the invention, the novel thin membranes (NTMs) can be manufactured using extrusion procedures, such as for example those known in the art for making non-NTM structures. The NTM extrusion procedures according to the invention advantageously can provide for efficient production of the membrane NTMs. Moreover, membrane NTMs which are manufactured by such NTM extrusion techniques can according to the invention be free from solvent trappings in the membrane NTM and, furthermore, according to the invention, can be provided with a molecular bias, including a predetermined molecular bias. Monoaxial extrusion may according to the invention be employed to manufacture the membrane NTMs in a preferred embodiment of the present invention. In a modified embodiment, biaxial extrusion procedures may according to the invention be implemented to manufacture the membrane NTMs. In one embodiment, a composition mixture comprising according to the invention an amorphous resorbable polymer, such as an amorphous lactide polymer, which can be for example poly Llactide or more preferably poly (L-lactide-co-D,L-lactide), is extruded to form an membrane of the present invention NTM. In one embodiment, poly (L-lactide-co-D,L-lactide) 70:30 Resomer LR708 (manufactured and supplied from Boehringer Ingelheim KG of Germany) is extruded according to the invention to form membranes of the present invention NTMs.

Applicants further wish to discuss the appropriateness of the outstanding Office Action and of the claim rejections contained therein.

If the Examiner is not available at this stated time, Applicants respectfully request that the Examiner indicate by return E-mail (krm@patlawyers.com) or by phone an alternative time, before the close of business Wednesday, March 12, 2008, for the Examiner Interview.

Should the Examiner believe that a pre-Interview telephone conference with Applicants' representative would be helpful to advance the prosecution of the application, or for any other reason, he or she is kindly invited to contact the undersigned at the below number.

First Inventor: Christopher J. Calhoun U.S. Application No. 10/631,980

Page 3 of 3

The Commissioner is hereby authorized to charge any needed fees to deposit account 50-1600.

Respectfully submitted,

Kenton R. Mullins Attorney for Applicants Registration No. 36,331

STOUT, UXA, BUYAN & MULLINS, LLP 4 Venture, Suite 300 Irvine, CA 92618

Tel: 949-450-1750 Fax: 949-450-1764

Dated: March 15, 2008